

FUTURO

NOV. 3 1970
1/3

HEATING & AIR CONDITIONING

GEN'L ELECTRIC MODEL WE 424 61A VERTICAL
AIR HANDLER W/ OUTSIDE HEAT PUMP
OPTIONAL (FOR AIR CONDITIONING)
NO DUCT WORK REQ'D. AS INSULATED
UNDER FLOOR AREA MAY BE USED AS
PLENUM. CENTER RING MUST BE INS. W/ 2" FOAM.

HAVE WORKED W/ MYRON FRY | 388 5533
BOB MASDEN |
@ G.E.

AND DAVE OF
FOUR SEASONS HEATING
FOR INSTALL. | 781-2301

THEY ARE SUBMITTING COMPLETE COST ESTIMATES
AND SPECIFICATIONS ON SYSTEM.

WHEN I CALLED AMERICAN STANDARD
THEY WERE GENERALLY UNRESPONSIVE.
ART HAD SAME EXPERIENCE

KITCHEN

APPLIANCES

RANGE (30")

JENN AIR
G.E.

REFRIDGERATOR

UNDER COUNTER 24"

G.E.

DISPOSAL (OPTIONAL)

G.E.

DISHWASHER (OPTIONAL)

G.E.

CABINETS

NELSON DIST.

HAVE WORKED W/ DAVE NELSON - MYRON
FRY WILL WORK W/ THEIR APPLIANCE MAN TO
GET ORIG MFRS' PRICES - LAYOUT WILL
ACCOMMODATE ANY MFR.

BATH

APPLIANCES

H.W. HEATER 20 GAL 36" HIGH

EXHAUST FAN 80 CFM.

DAVE @ FOUR SEASONS WILL BID THESE ITEMS, W/COMPARATIVE COSTS

FIXTURES

AM. STANDARD OR EQUAL

FIBER GLASS TUB-SHOWER # 188
(BETTER LOOKING BUT PROBABLY MORE EXPENSIVE THAN LOCAL MFR.)

TOILET

LAV.

COUNTERTOP CIRCLYN
W/ PUSH PULL FAUCET.

3201.035
2161.016

PRICES SHOULD BE CHECKED -
LAYOUT WILL TAKE INTO MFR.

KITCHEN SINK

UTILITY

16" X 20"

STAINLESS ST. W/OPTIONAL DISPOSAL.

ELECTRICAL

3/3

3 WIRE 120/240 SERVICE
8 CIRCUITS

2 50 AMP (HEATER, RANGE)
2 20 AMP (DISPOSAL, DISHWASHER)
1 20 AMP (KITCHEN APPLIANCES)
3 20 AMP (GEN'L & SPARE CIRCUITS)

PLUMBING

1/2" SUPPLYS
1/2" TRAPS & VENTS
3" WASTE

WALLS

SEE DWGS

GENERAL -

ALL UTILITY SUPPLY & WASTE TO ENTER &
LEAVE AT BOTTOM CENTER OF SHELL.